



012

CERTIFICATE OF REGISTRATION

This is to certify that

Arnold Laver & Co. Ltd

Pontefract Road
Stourton
Leeds
West Yorkshire
LS10 1SW

Meets the requirements of the Exova BM TRADA **Q-Mark Fire Door Manufacture** scheme to **STD 006 083 - Issue 2 - 11/07/2014**

Karen Prendergast
Sector Director - Certification
Exova BM TRADA

Certificate Number

792

Date of Initial Certification

24 October 2014

Date of Last Issue

13 October 2017

Date of Expiry

23 October 2020

Exova (UK) Ltd, (T/A Exova BM TRADA), Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Exova (UK) Ltd, Lochend Industrial Estate, Newbridge, Midlothian EH28 8PL United Kingdom. Reg No. SC070429.

This certificate remains the property of Exova (UK) Ltd. This certificate and all copies or reproductions of the certificate shall be returned to Exova (UK) Ltd or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through Exova BM TRADA or at the above address or at www.exovabmtrada.com

The use of the UKAS accreditation mark indicates accreditation in respect of those activities covered by the accreditation certification 012

Multisite clients - The scope of certification shown above includes the participating sites shown on the registration schedule

Registration Schedule

Branch

Arnold Laver & Co. Ltd

Address

Pontefract Road
Stourton
Leeds
West Yorkshire
LS10 1SW

Scope

Assessment/ Test Report	Owner of Assessment/ Report	Doorset Description	Rating	Test Type
FEA/F98164	Pacific Rim Wood Ltd	Flamebreak FD30	30min	BS476 Part 22
Chilt/A99112A	Vicaima Ltd	FD30 – Flaxboard or chip core	30min	BS476 Part 22
Chilt/A01204	Halspan	Optima 30	30min	BS476 Part 22
Chilt/A01205	Halspan Limited	Optima 60	60min	BS476 Part 22
FEA/F96103	Halspan Limited	Prima 60	60min	BS476 Part 22
Chilt/A13093	Vicaima Ltd	Vicaima Halspan 60 Doorsets	60min	BS476 Part 22
FEA/F02141	Pacific Rim Wood Ltd	Flamebreak 60	60min	BS476 Part 22