



Relax, we're the real experts
in high quality mouldings.

Arnold Laver **TIMBER WORLD**
The essential tools for the trade



Moulding Solutions

www.timberworld.co.uk



Moulded to perfection – choose from our extensive range of mouldings...

For a more traditional look, our extensive range of softwood or hardwood mouldings can add warmth to any dwelling.

For a more contemporary look, our MDF range offers versatility, easy installation, less wastage and no defects.

Softwood and Hardwood Mouldings

Our broad standard range of mouldings are manufactured in our own modern sawmill at our central distribution centre at Mosborough, Sheffield, where we use state of the art technology and machinery, using extensively trained and experienced staff.

Our mouldings collection is one of the widest ranges of products available on the market, with over 120 standard profiles on offer.

In addition, we can offer a bespoke design and manufacturing service. Our Softwoods and Hardwood are supplied from reputable certified sources from various countries throughout the world so you can be assured of fine quality, environmentally certified products, every time.

MDF Mouldings

To add to our product portfolio, we are a major stockist and supplier of MDF mouldings. Our experience in this field spans many years and we can therefore provide whatever technical support and advice you need.

Our MDF mouldings complement our traditional softwood and hardwood mouldings, which provides architects and end-users a comprehensive range and choice. With 16 depots around the country we carry huge stocks and are able to ensure reliable delivery wherever you need it. Selected ranges are available ex-stock, while other core range profiles can be delivered within 7 days.



Moulding Solutions

www.timberworld.co.uk





Moulding Solutions

www.timberworld.co.uk





Moulding Solutions

www.timberworld.co.uk

Skirting/Plinth



Chamfered Plinth Skirting

19mm x 75 mm Softwood (14F x 69F)
 19mm x 100mm Softwood (14F x 94F)
 19mm x 125mm Softwood (14F x 94F)
 25mm x 100mm MDF (18F x 94F)
 25mm x 125mm MDF (18 x 119)
 25mm x 150mm MDF (18 x 144)



Torus/Regency OG Reverse Plinth/Skirting

25mm x 125m Softwood (20F x 119F)
 25mm x 150mm Softwood (20F x 144F)
 25mm x 175mm Softwood (20F x 169F)



Torus/Ovolo/Lambs Tongue

Reverse Plinth/Skirting

25mm x 125mm Softwood (20F x 119F)
 25mm x 175mm Softwood (20F x 169F)
 19mm x 125mm Softwood (14F x 119F)
 19mm x 175mm Softwood (14F x 169F)



OG Skirting/Plinth

25mm x 125mm MDF (18 x 119)
 25mm x 150mm MDF (18 x 144)
 25mm x 175mm MDF (18 x 169)
 25mm x 200mm MDF (18 x 194)
 25mm x 225mm MDF (18 x 219)



Lambs Tongue Plinth/Skirting

25mm x 100mm MDF (18 x 94)
 25mm x 125mm MDF (18 x 119)



Moulded Plinth/Skirting

25mm x 225mm Softwood (20F x 219F)

Skirting/Plinth



Torus Plinth/Skirting

18mm x 100mm MDF (15 x 94)
 25mm x 100mm MDF (18 x 94)
 25mm x 125mm MDF (18 x 119)
 25mm x 150mm MDF (18 x 144)
 25mm x 175mm MDF (18 x 169)
 25mm x 125mm (20F x 119F) Red Hardwood
 25mm x 125mm (20F x 119F) White Oak



Chamfered/BN/R.I.E Reverse Plinth/Skirting

19mm x 75mm Softwood (14F x 69F)
 19mm x 100mm Softwood (14F x 94F)
 19mm x 125mm Softwood (14F x 119F)

Architraves



Pencil Round Architrave

19mm x 50mm Softwood/MDF (14F x 44F softwood)
 19mm x 63mm MDF (15 x 58)
 19mm x 75mm MDF (15 x 69)
 25mm x 50mm MDF (18 x 44)
 25mm x 63mm MDF (18 x 58)
 25mm x 75mm MDF (18 x 69)



Sanitary/Lambs Tongue Ovolo Architrave

25mm x 50mm MDF (18 x 44)
 25mm x 63mm MDF (18 x 58)
 25mm x 75mm Softwood/MDF
 (20F x 69F softwood)



Twice Pencil Round

18mm x 75mm MDF



Bull Nose Architrave

19mm x 50mm Softwood (14F x 44F)



Certified products available



Timber sourced from responsible sources

Moulding Solutions

www.timberworld.co.uk



Architraves Cont.



Chamfered Architrave

19mm x 50mm Softwood/MDF (14F x 44F softwood)
 19mm x 75mm MDF (15 x 69)
 25mm x 50mm MDF (18 x 44)
 25mm x 63mm MDF (18 x 58)
 25mm x 75mm MDF (18 x 69)



OG Architrave


18mm x 50mm MDF (15 x 44)
 18mm x 63mm MDF (15 x 58)
 18mm x 75mm MDF (15 x 69)
 25mm x 50mm MDF (18 x 44)
 25mm x 63mm MDF (18 x 58)
 25mm x 75mm MDF (18 x 69)



Torus Architrave

18mm x 50mm MDF (15 x 44)
 18mm x 63mm MDF (15 x 58)
 18mm x 75mm MDF (15 x 69)
 25mm x 50mm MDF (19 x 44)
 25mm x 75mm MDF/Softwood/Red
 Hardwood/White Oak (20F x 69F softwood)

Door Casing - Linings - Frames




Rebated Door Casing

38mm x 100mm Softwood (33F x 95F)
 38mm x 115mm Softwood (33F x 107F)
 38mm x 138mm Softwood (33F x 132F)
 38mm x 150mm Softwood (33F x 145F)

Lining Sets with loose stops

32mm x 115mm (27F x 107F)
 32mm x 138mm (27F x 132F)


Door Casing - Linings - Frames



Rebated Door Frame Sets

63mm x 100mm (57F x 94F)
 63mm x 115mm (57F x 107F)
 63mm x 140mm (57F x 132F)
 63mm x 150mm (57F x 145F)

MDF Casings are available to order



Rebated Door Frame

63mm x 100mm Softwood (57F x 94F)

FD30/MDF/Linings & Casings available to order

Cladding



Sauna Pattern

19mm x 100mm Softwood (14F X 94F)



PTGV Bead & Butt

19mm x 100mm Softwood (14F X 94F)



PTGV

13mm x 100mm Softwood (8F X 94F)
 13mm x 125mm Softwood (8F X 119F)
 19mm x 100mm Softwood/Red Hardwood(14F X 94F)
 19mm x 125mm Softwood (14F X 119F)
 25mm x 125mm Softwood (20F X 119F)



Shiplap

19mm x 125mm Softwood (14F X 119F)
 25mm x 125mm Softwood (20F X 119F)



Certified
products
available



For more information on
FSC products visit
www.fsc.org



Moulding Solutions

www.timberworld.co.uk

Window Board

Nosed & Tongued

25mm x 150mm MDF (18 x 144)
 25mm x 200mm MDF (18 x 294)
 25mm x 225mm Softwood/Red Hardwood (20F X 219F)
 25mm x 250mm Red Hardwood (20F x 240F)
 32mm x 150mm MDF (25 x 144)
 32mm x 175mm MDF (25 x 169)
 32mm x 200mm MDF (25 x 194)
 32mm x 225mm Red Hardwood (26F x 218F)
 32mm x 250mm MDF (25 x 244)
 32mm x 275mm MDF (25 x 269)
 32mm x 300mm MDF (25 x 294)

Dado Rails - Decorative Moulds



Dado Mould

25mm x 50mm Softwood (20F X 44F)
 32mm x 75mm Softwood (28F X 69F)
 25mm x 63mm MDF (18 x 58)



Picture Rail

25mm x 63mm Softwood (20F X 57F)



Panel Mould

32mm x 63mm Softwood (28F X 57F)



Victorian Panel Mould

16mm x 38mm Softwood (10F X 34F)



Barrel Mould

16mm x 38mm Softwood (10F X 34F)

Flooring



PTG


22 x 125mm Softwood (18F X 119F)
 22 x 150mm Softwood (18F X 144F)
 25 x 125mm Softwood (20F X 119F)
 25 x 150mm Softwood (20F X 144F)
 25 x 175mm Softwood (20F X 169F)

Gutter



75 x 138mm Softwood (69F X 132F)
 75 x 175mm Softwood (69F X 169F)
 100 x 150mm Softwood (94F X 144F)
 100 x 175mm Softwood (94F X 169F)

Hand Rails



Mop Stick Handrail

50 x 50mm Softwood (44F X 44F)



Moulded Hand Rail

50 x 75mm Softwood (44F X 69F)



Wall Hand Rail

38 x 100mm Softwood (33F X 94F)



Certified
products
available



Helping the world to
manage forests responsibly

Moulding Solutions

www.timberworld.co.uk



Beading



Dowel

6mm Softwood/Light Hardwood
9mm Softwood/Light Hardwood
12mm Softwood/Light Hardwood
15mm Softwood/Light Hardwood
18mm Softwood/Light Hardwood
22mm Softwood/Light Hardwood
25mm Softwood
31mm Softwood
35mm Softwood



Half Round

12mm x 25mm Softwood (5.5F X 18F)



Corner Angle

25mm x 25mm Softwood (20F X 20F)
32mm x 32mm Softwood (27F X 27F)
38mm x 38mm Softwood (34F X 34F)



Quadrant

13mm Softwood (10.5F x 10.5F)
16mm Softwood (12.5F x 12.5F)
19mm Softwood (15F x 15F)
25mm Softwood (21F x 21F)

Beading



Scotia

16mm x 16mm Softwood (12F X 12F)
19mm x 19mm Softwood (15F X 15F)
25mm x 25mm Softwood (21F X 21F)



Triangular fillet

25 x 25mm Softwood (20F X 20F)



Parting Bead

13 x 25mm Softwood (8F X 21F)




Staff Bead

19 x 25mm Softwood (15F X 21F)



Chamfered Glazing Bead

16 x 25mm Softwood (9F X 21F)



Glass Bead

13 x 13mm Softwood (10.5F X 10.5F)
13 x 16mm Softwood (8.5 X 11)
13 x 19mm Softwood (8.5F X 15F)
16 x 19mm Softwood (12F X 15F)



Certified
products
available



For more information on
FSC products visit
www.fsc.org



Moulding Solutions

www.timberworld.co.uk

Planed



mm	13	19	25	32	38	50	63	75	100
25	s	s	s	x	s	s* -	x	s* -	s* -
32	x	x	x	x	x	s	x	s	s
38	s	s	s	x	s	s	x	s	s
50	s	s	s* -	s	s	s	x	s*	s*
63	x	x	x	x	x	x	x	x*	s
75	s	s	s* -	s	s	s*	x*	s	s
100	x	s	s* -	s	s	s*	x	s	s
125	x	s	s*	s	s	s	x	x	x
150	x	s	s* -	s	s	s*	x	x	x
175	na	x	s	s	x	x	x	x	x
200	na	x	s*	x	x	x	x	x	x
225	na	x	s* -	x	s	x	x	x	x
275	na	x	s	x	x	x	x	x	x

Planed Redwood, Kiln Dried

Ex Stock s

Special Order x

* Also available in Red Hardwood

- Also Available in White Oak

If you do not see the size you need listed above, please enquire as larger and special sizes can be cut to order.

Our comprehensive stock range is further enhanced by in-house service facilities - Treatments, Strength Grading, Regularising, Cross-cutting, Arris, Tilt and cant rails, feather-edged, firrings, etc.



Certified products available



Helping the world to manage its forests responsibly

Moulding Solutions

www.timberworld.co.uk



Speciality Softwoods

We offer Western Red Cedar in a wide range of profiles and sizes to suit all applications, and can offer an expert advisory service to ensure that the most appropriate product is specified for each project.

If you require a profile that is not available from our stock ranges, we can also machine bespoke patterns on request.




AL-1 14 x 94 fin.
87mm cover



AL-2 19 x 144 fin.
137mm cover



AL-3 19 x 144 fin.
137mm cover



AL-4 19 x 144 fin.
135mm cover



AL-5 19 x 144 fin.
135mm cover



AL-6 19 x 144 fin.
137mm cover

Speciality Softwoods



AL-7 19 x 145 fin.
128mm cover



AL-8 19 x 145 fin.
137mm cover



AL-9 19 x 145 fin.
125mm cover



AL-10 19 x 145 fin.
125mm cover

Associated services

Complementing our extensive timber ranges, we also provide a full range of treatment services:

- Preservative
- Kiln drying
- Priming
- Fire retardant

Please note: additional mouldings are available. Please contact your nearest branch for details.



Moulding Solutions

www.timberworld.co.uk



Moulding Solutions

www.timberworld.co.uk



Timber World Branches

Birmingham*
 Dudley Road, Oldbury, West Midlands B69 3DA
 Tel: 0121 552 7788 Fax: 0121 544 7186
 sales@birmingham.timberworld.co.uk

Bradford*
 Manningham Sawmills,
 Canal Road, Bradford BD2 1AR
 Tel: 01274 732861 Fax: 01274 737060
 sales@bradford.timberworld.co.uk

Chesterfield
 Brimington Road, Chesterfield S41 7UW
 Tel: 01246 271717 Fax: 01246 272255
 sales@chesterfield.timberworld.co.uk

Hull*
 Crowle Street, Hull, HU9 1RH
 Tel: 01482 324525 Fax: 01482 216478
 sales@hull.timberworld.co.uk

Kidderminster
 Firs Trading Estate, Oldington Lane,
 Kidderminster DY11 7QN
 Tel: 01562 66557 Fax: 01562 864557
 sales@kidderminster.timberworld.co.uk

Leeds*
 Pontefract Road, Stourton, Leeds LS10 1SW
 Tel: 0113 270 4066 Fax: 0113 272 3833
 sales@leeds.timberworld.co.uk

Manchester*
 Timber Terminal, Liverpool Road,
 Cadishead, Manchester M44 5BZ
 Tel: 0161 777 9000 Fax: 0161 777 9007
 sales@manchester.timberworld.co.uk

North East*
 Riverside Sawmills, Wagonway Road,
 Hebburn NE31 1SP
 Tel: 0191 428 6666 Fax: 0191 428 6622
 sales@northeast.timberworld.co.uk

Reading*
 Basingstoke Road, Reading RG2 0QN
 Tel: 0118 975 1100 Fax: 0118 975 1900
 sales@reading.timberworld.co.uk

Sheffield Central Call Collect
 Chesterfield Road, Sheffield S8 0TW
 Tel: 0114 255 7341 Fax: 0114 292 3660

Sheffield Mosborough*
 Olympic Sawmills, Oxclose Park Road North,
 Sheffield S20 8GN
 Tel: 0114 276 4700 Fax: 0114 276 4701
 sales@sheffield.timberworld.co.uk

Beecrofts
 94 Garnett Street, Bradford BD3 9HB
 Tel: 01274 725 276 Fax: 01274 767 111
 sales@beecrofts.timberworld.co.uk

*FSC Certified



Timber sourced and managed by

Arnold Laver TIMBER WORLD
 The essential tools for the trade



We all have a responsibility to the environment. At Arnold Laver Timber World we are committed to protecting the environment. We strongly believe it is our corporate and social responsibility to preserve wildlife forests and promote effective forestry management. We have accepted the principles of sourcing materials from legal, sustainable, well-managed forests and mills. All Arnold Laver Timber World products in the UK have Chain of Custody implemented, independently evaluated and certified, to provide our customers with environmental assurances.