



Relax, we're the real experts
in spectacular panel products.

Arnold Laver **TIMBER WORLD**
The essential tools for the trade



Arnold Laver has a proud heritage and well-earned reputation for wood-based Panel Products given its 85-year trading history.


We have long established supply partnerships with producers from around the globe, allied with a continuous product development policy. This makes the Timber World range second to none.

We can offer our range from a single sheet through pack lots, to full loads and customer specific requirements, direct from the mill or factory.

Services include bespoke cutting, shaping, fabrication and fire treatments.

Timber World takes its responsibility to the environment seriously and a large and rapidly growing part of our range is certified by the main forest certification schemes - FSC, PEFC, CSA, MTCC and SFI. Also, with the Construction Products Directive having come into force in April 2004, a large proportion of this range is CE marked.

For the broadest range, the best service, consistent quality and knowledgeable staff, look no further than Arnold Laver Timber World - your Panel Product single source solution.



Medium Density Fibreboard

STD Manufactured to BS-EN622.5

3mm	2440 x 1220
	3050 x 1220
3.2mm (unsanded)	2440 x 1220
4mm	2440 x 1220
	3050 x 1220
6mm	2440 x 1220
	3050 x 1220
	2440 x 1525
9mm	2440 x 1220
	3050 x 1220
	2440 x 1525
12mm	2440 x 1220
	3050 x 1220
	2440 x 1525
	3050 x 1525
	3660 x 1830
15mm	2440 x 1220
	3050 x 1220
	2440 x 1525
	3050 x 1525
	3660 x 1830
18mm	2440 x 1220
	3050 x 1220
	2440 x 1525
	3050 x 1525
	2440 x 1830
	3660 x 1830
22mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220
	2440 x 1525
	3050 x 1525
	2440 x 1830
	3660 x 1830
30mm	2440 x 1220
	3050 x 1220
	2440 x 1220
45mm	2440 x 1220
50mm	2440 x 1220
	3050 x 1220
55mm	2440 x 1220
60mm	2440 x 1220

Light MDF (Approx. 600 kg/m3)

12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220

Ultralight MDF (Approx. 470-500 kg/m3)

12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220

Moisture Resistant (EN 622-H1)

6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220
30mm	2440 x 1220
	3050 x 1220

Exterior MDF (EN 622-H2)

6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220
15mm	2440 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220

Zero Added Formaldehyde

18mm	2440 x 1220
------	-------------

Deep Router Grade

15mm	2440 x 1220
18mm	2440 x 1220
25mm	2440 x 1220

Flame Retardant MDF Euro Class C

4mm	2745 x 1220
6mm	2440 x 1220
	3050 x 1220
9mm	2440 x 1220
	3050 x 1220
12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220

Euro Class B

12mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220

We also stock a comprehensive range of architectural primed MDF mouldings which are FSC accredited. Please refer to our Mouldings brochure.

Our main supplier for MDF products is Medite. These items are FSC accredited and CPD compliant with packaging CE marked as appropriate.

Hardboard

Standard Grade

3.2mm	2440 x 1220
	1220 x 610
4.8mm	2440 x 1220
6.4mm	2440 x 1220

Oil Tempered

3.2mm	2440 x 1220
6.4mm	2440 x 1220

Perforated

3.2mm	2440 x 1220	18mm centres
6.4mm	2440 x 1220	25mm centres




Certified products available



Setting the standard for responsible forestry management.

Panel Products

www.timberworld.co.uk



Painted Hard Board

Painted – white/cream

3.2mm 2440 x 1220

White Perforated

3.2mm 2440 x 1220 18mm centres

6.4mm 2440 x 1220 25mm centres

Insulation Board

Natural

12mm 2440 x 1220

Sundeala Pin Boards & Notice Boards

Sundeala 'K' – BSEN622-3 Type MBL

6mm 2440 x 1220

9mm 2440 x 1220

Sundeala 'A' – BSEN622-3 Type MBL.E

9mm 2440 x 1220

12mm 2440 x 1220

Colourboard – BSEN622-3 Type MBL

Blue, Green, Red, Charcoal, Lilac, Orange, Yellow & Wheat.

9mm 2440 x 1220

FRB – Euro Class B – BSEN 11925-1

9mm 2440 x 1220

FRB Colourboard – BSEN 11925-1

Blue, Green, Red, Lilac, Wheat.

9mm 2440 x 1220

Sundeala is committed to recycling. Its environmental sustainable board is almost 100% recycled and meets all UK corporate, government and local authority environmental policy statements.

Sundeala is manufactured from waste newsprint, the boards are recycled, sustainable and unique. The boards provide excellent pin insertion, superior pin retention and outstanding durability.

Also available: Cut-to-size, shapes and framed noticeboards.

Oriented Strand Boards

Exterior EN 300/2

8mm 2440 x 1220

11mm 2440 x 1220

15mm 2440 x 1220

18mm 2440 x 1220

Exterior EN 300/3 – BBA Certified

9mm 2440 x 1220

9mm 2397 x 1197

11mm 2440 x 1220

15mm 2440 x 1220

18mm 2440 x 1220

T & G

18mm 2400 x 600

Our main supplier for OSB products is Smart Ply. These items are FSC accredited and CPD compliant with CE marking.

Decorative Veneered Panels

Veneered MDF

C/C Oak – Two Sides A/B

4mm 2440 x 1220

6mm 2440 x 1220

9mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220

Q/C Oak – Two Sides A/B

13mm 2440 x 1220

19mm 2440 x 1220

Pine Two Sides A/B

4mm 2440 x 1220

6mm 2440 x 1220

9mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220

Sapele – Two Side A/B

4mm 2440 x 1220

6mm 2440 x 1220

9mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220

White Ash – Two Sides A/B

4mm 2440 x 1220

6mm 2440 x 1220

9mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220

White Beech – Two Sides A/B

4mm 2440 x 1220

6mm 2440 x 1220

9mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220

Steamed Beech – Two Sides A/B

4mm 2440 x 1220

6mm 2440 x 1220

13mm 2440 x 1220

16mm 2440 x 1220

19mm 2440/3050 x 1220

26mm 2440 x 1220



Certified products available



Setting the standard for responsible forestry management.



Decorative Veneered Panels Veneered MDF

Maple - Two Sides A/B

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
13mm	2440 x 1220
16mm	2440 x 1220
19mm	2440/3050 x 1220
26mm	2440/3050 x 1220

Am. Cherry - Two Sides A/B

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
13mm	2440 x 1220
16mm	2440 x 1220
19mm	2440/3050 x 1220

Black Walnut - Two Sides A/B

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
13mm	2440 x 1220
16mm	2440 x 1220
19mm	2440/3050 x 1220

Veneered Plywood

First Quality Book Matched Decorative Veneers

White Ash - 1 Side

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

Beech - 1 Side

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

Am. Cherry - 1 Side

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

Maple - 1 Side

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

Oak - 1 Side

4mm	2440 x 122
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

Pine - 1 Side

4mm	2440 x 122
6mm	2440 x 1220

Q/C Sapele - 1 Side

4mm	2440 x 122
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220

We also hold a broad range of Melamine faced boards. Please ask for our Decorative Surfaces brochure.

Hardwood Plywood

Far Eastern Plywood WBP

Exterior BB/CC

3.6mm	2440 x 1220
5.5mm	2440 x 1220
	3050 x 1220
9mm	2440 x 1220
	3050 x 1220
	3050 x 1525
12mm	2440 x 1220
	3050 x 1220
	3050 x 1525
15mm	2440 x 1220
	3050 x 1220
	3050 x 1525
18mm	2440 x 1220
	3050 x 1220
	3050 x 1525
22mm	2440 x 1220
25mm	2440 x 1220
	3050 x 1220
	3050 x 1525

Hardwood Faced Poplar Core

Plywood WBP Core (Type 1 Faces)

3.6mm	2440 X 1220
5.5mm	2440 x 1220/3050 x 1525
9mm	2440 x 1220/3050 x 1525
12mm	2440 x 1220/3050 x 1525
15mm	2440 x 1220/3050 x 1525
18mm	2440 x 1220/3050 x 1525
25mm	2440 x 1220/3050 x 1525

South American Exterior

Hardwood T/O Plywood

5.5mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220
15mm	2440 x 1220
18mm	2440 x 1220
22mm	2440 x 1220
25mm	2440 x 1220

This particular production is working towards FSC certification.

Blockboard

18mm	2440 x 1220
------	-------------

Marine Plywood

4mm	2440 x 1220
6mm	2440 x 1220
9mm	2440 x 1220
12mm	2440 x 1220
15mm	2440 x 1220
18mm	2440 x 1220
25mm	2440 x 1220

Superform Multi-Use Bendy Plywood

3mm	1220 x 2440
	2440 x 1220
5mm	1220 x 2440
	2440 x 1220
8mm	1220 x 2440
	2440 x 1220

Our Far Eastern Plywood is CPD compliant with packaging marked CE2+



Certified products available



Setting the standard for responsible forestry management.

Panel Products

www.timberworld.co.uk



Birch Plywood

BB

4mm	1220 x 2440
	1525 x 3050
6.5mm	1220 x 2440
	2440 x 1220
	1525 x 3050
9mm	1220 x 2440
	2440 x 1220
	1525 x 3050
12mm	1220 x 2440
	2440 x 1220
	1525 x 3050
15mm	1220 x 2440
	2440 x 1220
	1525 x 3050
18mm	1220 x 2440
	2440 x 1220
	1525 x 3050
21mm	1220 x 2440
	2440 x 1220
24mm	1220 x 2440
	2440 x 1220
	1525 x 3050

WG

12mm	1220 x 2440
	2440 x 1220
18mm	1220 x 2440
	2440 x 1220
24mm	1220 x 2440
	2440 x 1220

The majority of our Birch Plywood is PEFC accredited with FSC available to order. This is CPD compliant with packaging CE marked.

WBP Exterior Birch Throughout Plywood (CP)

12mm	2440 x 1220
18mm	2440 x 1220
24mm	2440 x 1220

Int Birch Throughout Plywood (BB)

3mm	1525 x 1525
4mm	1525 x 1525
6mm	1525 x 1525
9mm	1525 x 1525
12mm	1525 x 1525
15mm	1525 x 1525
18mm	1525 x 1525
24mm	1525 x 1525

Anti Slip 220gm Mesh 1 Side/Smooth Film Reverse (Birch Throughout Core)

9mm	2440 x 1220
12mm	2440 x 1220
15mm	2440 x 1220
21mm	2440 x 1220
24mm	2440 x 1220

Overlaid Birch Plywood Film Faced Edges Sealed

12mm	1220 x 2440
18mm	1220 x 2440

Coniferous Plywood

Finnish Spruce Exterior WBP III/III

9mm	2440 x 1220
12mm	2440 x 1220
18mm	2440 x 1220
24mm	2440 x 1220

Finnish Spruce Exterior II/III

18mm	2440 x 1220
------	-------------

Flooring Panels Wisá Spruce II/III Exterior WBP – Tongued & Grooved 4 Edges

18mm	2400 x 600
22mm	2400 x 600

Our Spruce Plywoods are CPD compliant and are PEFC certified.

Formwork Plywood Wisá-Form – MDO

18mm	2440 x 1220
------	-------------

Pourform 107

17.5mm	2440 x 1220
--------	-------------

Elliottis Pine Exterior WBP C+/C (Filled and Sanded 1 Side)

9mm	2440 x 1220
12mm	2440 x 1220
18mm	2440 x 1220
25mm	2440 x 1220

Chipboard

EN 312-P1 Merchant Grade

12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
18mm	2440 x 1220
	3050 x 1220
22mm	2440 x 1220
	3050 x 1220
25mm	2440 x 1220
	3050 x 1220

EN312-P2 Furniture Grade

12mm	2440 x 1220
	3050 x 1220
15mm	2440 x 1220
	3050 x 1220
	2440 x 1830
18mm	2440 x 1220
	3050 x 1220
	2440 x 1830
25mm	2440 x 1220
	3050 x 1220
	2440 x 1830

FR Chipboard Euro Class B

10mm	2550 x 1250
12mm	2550 x 1250/3050 x 1250
16mm	2550 x 1250/3050 x 1250
18mm	2550 x 1250/3050 x 1250
25mm	2550 x 1250/3050 x 1250

Euro Class C

12mm	2550 x 1250/3050 x 1250
16mm	2550 x 1250/3050 x 1250
18mm	2550 x 1250/3050 x 1250



Certified products available



Setting the standard for responsible forestry management.



Timber World Building Solutions

Flooring Grade Chipboard EN312-P5 (moisture resistant)

18mm T&G4 2400 x 600

22mm T&G4 2400 x 600

Weyroc PCX Peel Clean Extra EN312-P5 (moisture resistant)

18mm 2400 x 600

22mm 2400 x 600

Flooring Grade Chipboard covered with a hot melt wax upon which a gloss laminated surface poly film is applied.

Weyroc Protect Floor EN312-P5 (moisture resistant)

18mm 2400 x 600

22mm 2400 x 600

Weyroc Protect, made from P5 Flooring Grade Chipboard, is faced with thermo setting resin impregnated kraft paper on both sides providing double protection and preventing moisture ingress. CE certified & possesses BBA certification can be exposed to the elements for up to 42 days.

EN312-P5 T & G 2 Long Edges

18mm 2440 x 1220

3050 x 1220

Egger HDX - Heavy Duty Mezzanine EN312-P6

38mm T&G2LE

2100 x 60

2400 x 600

38mm (protect 1 side)

T&G2LE 2400 x 600

EN312 P5 T&G2LE (moisture resistant)

38mm 2400 x 600

38mm protect 2400 x 600

HDX is a heavy duty 38mm wood particle board tongue and grooved flooring panel specially developed for use in mezzanine flooring and storage platform applications.

HDX P5 (moisture resistant) is the flooring solution for cold rooms and refrigerated warehousing where high humidity exists.

Our main supplier for Chipboard products is Egger, these items are FSC accredited and CPD compliant with packaging CE marked as appropriate.

Fire Retardant

Class 1 Treated in the manufacturing Process BS476 Part 7 Surface Spread of Flame

Vestos Plus

3.6mm 2745 x 1220

2745 x 1000

Class 1

3.6mm 2440 x 1220

5.5mm 2440 x 1220

9mm 2440 x 1220

12mm 2440 x 1220

18mm 2440 x 1220

25mm 2440 x 1220

Promat Fire Protection Panels

Masterboard

6mm 2440 x 1220

9mm 2440 x 1220

12mm 2440 x 1220

A versatile class 'o' building board for use in a wide range of internal and semi exposed applications.

Supalux

6mm 2440 x 1220

9mm 2440 x 1220

12mm 2440 x 1220

A high performance board which can be used in construction providing up to 240 minutes fire resistance.



Certified products available



Setting the standard for responsible forestry management.

Panel Products

www.timberworld.co.uk



Timber World Branches

Birmingham*

Dudley Road, Oldbury, West Midlands B69 3DA
Tel: 0121 552 7788 Fax: 0121 544 7186
sales@birmingham.timberworld.co.uk

Bradford*

Manningham Sawmills,
Canal Road, Bradford BD2 1AR
Tel: 01274 732861 Fax: 01274 737060
sales@bradford.timberworld.co.uk

Chesterfield

Brimington Road, Chesterfield S41 7UW
Tel: 01246 271717 Fax: 01246 272255
sales@chesterfield.timberworld.co.uk

Hull*

Crowle Street, Hull, HU9 1RH
Tel: 01482 324525 Fax: 01482 216478
sales@hull.timberworld.co.uk

Kidderminster

Firs Trading Estate, Oldington Lane,
Kidderminster DY11 7QN
Tel: 01562 66557 Fax: 01562 864557
sales@kidderminster.timberworld.co.uk

Leeds*

Pontefract Road, Stourton, Leeds LS10 1SW
Tel: 0113 270 4086 Fax: 0113 272 3833
sales@leeds.timberworld.co.uk

Manchester*

Timber Terminal, Liverpool Road,
Cadishead, Manchester M44 5BZ
Tel: 0161 777 9000 Fax: 0161 777 9007
sales@manchester.timberworld.co.uk

North East*

Riverside Sawmills, Wagonway Road,
Hebburn NE31 1SP
Tel: 0191 428 6666 Fax: 0191 428 6622
sales@northeast.timberworld.co.uk

Reading*

Basingstoke Road, Reading RG2 0QN
Tel: 0118 975 1100 Fax: 0118 975 1900
sales@reading.timberworld.co.uk

Sheffield Central Call Collect

Chesterfield Road, Sheffield S8 0TW
Tel: 0114 255 7341 Fax: 0114 292 3660

Sheffield Mosborough*

Olympic Sawmills, Oxclose Park Road North,
Sheffield S20 8GN
Tel: 0114 276 4700 Fax: 0114 276 4701
sales@sheffield.timberworld.co.uk





Becrofts

94 Garnett Street, Bradford BD3 9HB
Tel: 01274 725 276 Fax: 01274 767 111
sales@becrofts.timberworld.co.uk

*COC Certified



Setting the standard for responsible forestry management.



We all have a responsibility to the environment. At Arnold Laver Timber World we are committed to protecting the environment. We strongly believe it is our corporate and social responsibility to preserve world forests and promote effective forestry management. We have accepted the principles of sourcing materials from legal, sustainable, well managed forests and mills. All Arnold Laver Timber World branches in the UK have Chain of Custody implemented, independently evaluated and certified, to provide our customers with environmental assurances.